

EN 10253-2

EN 10216

EN 10210

In millimeters

DIN/EN		WALL THICKNESS														
DN	INCH	SIZE	2.0	2.3	2.6	2.9	3.2	3.6	4.0	4.5	5.0	-	-	-	-	-
15	1/2"	21.3	2.0	2.3	2.6	2.9	3.2	3.6	4.0	4.5	5.0	-	-	-	-	-
20	3/4"	26.9	2.6	2.9	3.2	3.6	4.0	4.5	5.0	5.6	6.3	-	-	-	-	-
25	1"	33.7	2.9	3.2	3.6	4.0	4.5	5.0	5.6	6.3	7.1	8.0	8.8	10.0	-	-
32	1.1/4"	42.4	2.9	3.2	3.6	4.0	4.5	5.0	5.6	6.3	7.1	8.0	8.8	10.0	11.0	-
40	1.1/2"	48.3	2.9	3.2	3.6	4.0	4.5	5.0	5.6	6.3	7.1	8.0	8.8	10.0	11.0	12.5
50	2"	60.3	2.9	3.6	4.0	4.5	5.0	5.6	6.3	7.1	8.0	8.8	10.0	11.0	12.5	14.2
	2.1/2"	73.0	2.9	3.6	4.0	4.5	5.0	5.6	6.3	7.1	8.0	8.8	10.0	11.0	12.5	14.2
65		76.1	2.9	3.6	4.0	4.5	5.0	5.6	6.3	7.1	8.0	8.8	10.0	11.0	12.5	14.2
80	3"	88.9	3.6	4.0	4.5	5	5.6	6.3	7.1	8.0	8.8	10.0	11.0	12.5	14.2	16.0
	3.1/2"	101.6	4.0	4.5	5.0	5.6	6.3	7.1	8.0	8.8	10.0	11.0	12.5	14.2	16.0	17.5
100	4"	114.3	4.0	4.5	5.0	5.6	6.3	7.1	8.0	8.8	10.0	11.0	12.5	14.2	16.0	17.5
125		139.7	4.5	5.0	5.6	6.3	7.1	8.0	8.8	10.0	11.0	12.5	14.2	16.0	17.5	20.0
	5"	141.3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
150	6"	168.3	5.0	5.6	6.3	7.1	8.0	8.8	10.0	11.0	12.5	14.2	16.0	17.5	20.0	22.2
200	8"	219.1	7.1	8.0	8.8	10.0	11.0	12.5	14.2	16.0	17.5	20.0	22.2	25.0	28.0	30.0
250	10"	273.0	7.1	8.0	8.8	10.0	11.0	12.5	14.2	16.0	17.5	20.0	22.2	25.0	28.0	30.0
300	12"	323.9	8.0	8.8	10.0	11.0	12.5	14.2	16.0	17.5	20.0	22.2	25.0	28.0	30.0	32.0
350	14"	355.6	8.8	10.0	11.0	12.5	14.2	16.0	17.5	20.0	22.2	25.0	28.0	30.0	32.0	40.0
400	16"	406.4	10.0	11.0	12.5	14.2	16.0	17.5	20.0	22.2	25.0	28.0	30.0	32.0	36.0	40.0
450	18"	457.2	11.0	12.5	14.2	16.0	17.5	20.0	22.2	25.0	28.0	30.0	32.0	36.0	40.0	45.0
500	20"	508.0	12.5	14.2	16.0	17.5	20.0	22.2	25.0	28.0	30.0	32.0	36.0	40.0	45.0	50.0
600	24"	610.0	14.2	16.0	17.5	20.0	22.2	25.0	28.0	30.0	32.0	36.0	40.0	45.0	50.0	55.0